SOLICITATION Of	N/CONTRA fferor To Co					1S 1.1	Requisition	Number		Page	1 Of 12	
2. Contract No.		3. Award/l			4. Order Number						6. Solicitation Issue Date 2003SEP23	
7. For Solicitation Information Call:		A. Name	RYBICKI				Telephone 1 (586) 574-4		No Collect Calls)		Due Date/I	
AMSTA-	WARREN I -LC-CJT N, MICHIGAN	BLDG 231	Code	W56F	10. This Ac X Unrestri Set Asid	icted	n Is % For	Unle	ery For FOB Dest ss Block Is Marked Schedule		12. Discou	int Terms
HTTP:/	//CONTRACT	ING.TACOM.	ARMY.MII	١		Busines		X 13a	. This Contract Is Under DPAS (18			
					8(A)			13b. Rati	ing _{DOA4}			
e-mail: RYBICKSC	IOMA COM A DA	N. MIT			SIC: Size Standa	rd.			od Of Solicitation		l	
15. Deliver To	:@IACOM.ARM	IY.MIL	Code		16. Adminis		v	X RFQ	IFB		RFP Code	
Telephone No. 17. Contractor/Off	feror Cod	le	Facili	ty	18a. Payme	ent Will I	Be Made By	,			Code	
Telephone No.				- [·					
17b. Check If R	Remittance Is In Offer	s Different A	And Put S	luch	18b. Submi	_	es To Addre	ss Shown	In Block 18a Unle	ss Block I	Below Is Ch	ecked
19.	III OHEI	G.1		0.	, .	See A	21.	22.	23.			24.
Item No.			dule Of Si		Services		Quantity	Unit	Unit Pric	e	Am	ount
		S	EE SCHEI	OLE								
25. Accounting An	d Appropria	`	ditional	Sheets A	s Necessary)				26. Total Award	Amount	For Govt. 1	Use Only)
									F	<u>√</u>	· 	
\equiv	•	·			2-1, 52.212-4. FAR				Ī	Are L	=	Attached.
28. Contractor Is R			•		ce FAR 52.212-4. I					Are _	Are Not	Attached. Offer
	_	_			Deliver All Items S	_			Your Offer	On Solici	tation (Bloc	
Forth Or Otherwis The Terms And Co				Addition	al Sheets Subject		Including A Accepted As	•	ons Or Changes W	hich Are	Set Forth I	Herein Is
30a. Signature Of O									ica (Signature Of C	Contractii	ng Officer)	
30b. Name And Tit	tle Of Signer	(Type Or I	Print)	30c. Da	nte Signed	31b. N	ame Of Cor	ntracting (Officer (Type Or I	Print)	31c. Date	Signed
32a. Quantity In C	column 21 Ha	as Been	ļ			33. Shi	p Number		34. Voucher Nu	mber		nt Verified
Received	Inspected	Acc	epted An	d Confor	rms To The	Pa	rtial	Final			Corre	ect For
32b. Signature Of	Authorized		tract Exc	•	oted 32c. Date	36. Pay					37. Chec	k Number
Jan. Digilatui t Of I	ramorized (337CI IIIICII	i Acpiese	шанус	32c. Date		omplete R Account N	Parti umber	ial Fina 39. S/R Voucher		40. Paid	By
							eceived By (-	
41a. I Certify This				For Payı							_	
41b. Signature And	d Title Of Ce	ertifying Of	ficer		41c. Date	42b. R	eceived At (Location)				
						42c. Da	ate Recd (Y	YMMDD)	42d. Total Co	ntainers		
Authorized For Lo	cal Reprodu	ection			1	1			Standard 1	Form 1440	9 (10-95)	

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-T701

MOD/AMD

Page 2 of 12

Name of Offeror or Contractor:

TEMPERATURE TOTAL	TATEODMANIETON
SUPPLEMENTAL	

1

Regulatory Cite	Title	Date
52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003

- (a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at http://contracting.tacom.army.mil/ebidnotice.htm for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.
- (e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil
- (f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at http://www.ecrc.ctc.com

[End of Clause]

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-Q-T701 MOD/AMD

Page 3 **of** 12

Name of Offeror or Contractor:

SUPPLIES OR SERVICES AND PRICES/COSTS NEST: 2640-01-378-3638 FSCM: 19899 PART NR: 100TEP-30 SECURITY CLASS: Unclassified Nomenclaure: Tire Repair Xit Manufacturer's Approved Part Number Tire Repair Xit for pusematic tire repairs used for the Lav Family of Vehicles. Rnd Item Identification: 2320-01-123-1602 Approved Source: Safety Nire Beal Curp. P/N: 100TPP-30 (SRd of navrative A001) (SRd of navrative A001) DESCRIPTION DUANTITY PRON: ERRANGEME FROM AND: 01 ANS CD: 070011 Description/Specks/Nork Statement COUNTITY VALIDITION: 28 OURS 28 UNDER PACKAGINS PACKING PRECISIONTIONS: LEVEL SECSIONATION Commercial LEVEL SECSIONATI	EM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
PSCN: INSPS PART NR: 100TBP-30 SECURITY CLASS: Unclassified Nonemotiature: Tire Repair Kit Mammifacture: Tire Repair Kit Mammifacture: Tire Repair Kit for punematic tire repairs used for the LAV family of Vehicles. End Item Identification: 2300-01-123-1602 Approved Source: Safety Tire Seal Corp. P/N: 100TBP-30 (Red of narvative A001) (Red of narvative A001) PRODUCTION DUANTITY 1000: ETALNissis: FRON AMD: 01 ANS CN: 070011 Description/Specia./Mark.Statement. OUNTITY VARIATION: 20 OVER 28 UNDER PARKeding and Markhim PACASORS (PRACING) SPECIFICATIONS: MILIT LEVIL PRESENTION: Commercial LEVEL PRESENTION: Commercial LEVEL PRESENTION: Description ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL SHILD MILITARID ADDR SIGLD NARR FOR TE CD 001 WSHIDV35SUSSE WSGUU J 2 DEL. REL CD GUANTITY DAYS AFTER AMARD 001 262 0010 FOR POINT: Destination SMIP TO: PARCEL FORT ADDRESS (WSGUU) XU TRANSPORTATION OFFICER DODS NW CUMBRERLAND FACILITY		SUPPLIES OR SERVICES AND PRICES/COSTS				
PSCH: 11899 PART NR: 1007B9-30 SECURITY CLASS: Unclassifies Nomemolature: Tire Repair Kit Manufacturer: Approved Sert Number Tire Repair Kit for pumenatic tire repairs used for the LAV Smally of Vehicles. End Item Identification: 2320-01-123-1602 Approved Source: Safety Tire Seal Corp. P/N: 1007B9-30 (End of narrative A001) (End of narrative A001) FEGURATION UDANTITY S22 XT \$ **SOURCE RESARCES FROM AMD: 01 ANS CD: 070011 Description/Space_/Mork_Statement CONSTITY VARIATION: 28 OVER 28 UNDER PARAGING AND MARKING PARAGING/PARAMING/SPECIFICATIONS: MULTS LEXUE. PRESENTATIVE: Commercial LEXUE. PRESENTATIVE COMMERCIAL LEXUE. PRESENTATIVE ADDRESS LEXUESCO. XU TRANSPORTATION OFFICER DODS PROXIT: Destination SMIP TO: PARAMILLOST ADDRESS LEXUESCO. XU TRANSPORTATION OFFICER DDDS PROXIT: Destination SMIP TO: PARAMILLOST ADDRESS LEXUESCO. XU TRANSPORTATION OFFICER DDDS PROXICUMENTATION OFFICER DDDS PROXICUMENTALIAN FACILITY						
SECURITY CLASS: Unclossified Nomenclature: Tire Repear Kit Manufacture: Tare Repear Kit Monufacture: Tare Repear Kit Monufacture: Tare Repear Kit Monufacture: Tare Repear Kit Monufacture: Tare Seal Corp. P/N: 100TPS-30 (End of narrative A001) (End of narrative A001) Monufacture: Tare Repear Kit FRON: PitsAn/83281 PRON AMD: 01 AMS CD: 075001 Beacription/Spoon_/Mork Statement QUANTITY VARIATION: 28 OWRE 2% INDEEN Packacing and Marking Packacing and Mark	1					
SECURITY CLASS: Unclassified Momenciature: Tire Repair Kit Manufacture: Approved Part Number Tire Repair Kit for proceed that ther repairs used for the LAV Family of Vehicles. End Item identification: 3320-01-233-1602 Approved Source: Safety Tire Seal Corp. P/N: 100TPB-30 (End of narrative A001) (End of narrative A001) MOUN: TIRE REPAIR KIT PRON: ENGALTSHIM PRON AND: 01 ANS CO: 070011 DESCRIPTION/SECS./Hork Statement QUANTITY VARIATION: 38 OVER 2% UNDER Packaging and Marking PACKAGINS/PACKING/SPECIFICATIONS: MILITY LEVEL PACKING: Commercial Dispection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC: Suppl. SMIT CO MILITERITY ADDR SIG CD MARK FOR TP CD OO1 MSGIZVISSUAGE WISSOIL J 2 DEL. REL CD OLDNATIVE DAYS AFTER ANARD OO1 262 0030 FOR POINT: Destination SMIP TO: FARCEL FOST ADDRESS (WSGIJ) XU TRANSPORTATION OFFICER DISSO NAW CHMERKERADD PACCELTRY						
Manufacturer's Approved Part Number Tire Repair Kit for pussmatic tire repairs used for the LAV Femily of Vehicles. End Item Identification: 2320-01-123-1602 Approved Source: Safety Tire Seal Corp. P/N: 100TBB-30 (End of narrative A001) (End of narrative A001) Security Tire Repair Kit FROM: ENBAN78SEH FRON AMD: 01 AMS CD: 070011 Description/Spece_/Mork_Statement QUANTITY VARIATION: 2: OVER 2: UNDER Facksging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILTA LEVEL PROSENVATION: Commercial LEVEL FACKING: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Deliveries or Performance DOC SUPPL RES CD MILSTEID ADDR SIG CD MARK FOR TP CD 001 MSGRIY335VIGE WIGGULU J 2 DES. REL CD QUANTITY DAYS AFTER AWARD 001 Z62 0030 FOR POINT: Destination SHIP TO: PARCEL POST ADDRESS (WSSGI) XI TRANSPORTATION OFFICER DDOE NEW COMMERCIANT PACILITY						
Tire Repair Rit for pnuematic tire repairs used for the LAV Family of Vehicles. End Item Identification: 2320-01-123-1602 Approved Source: Safety Tire Seal Corp. P/N: 100TPS-30 (End of narrative A001) (End of narrative A001) PRODUCTION_QUANTITY NOUN: TIRE REPAIR RIT PRON: ENHANASISH PRON AND: 01 ANS CD: 070011 Description/Space./Mork Statement QUANTITY VARIATION: 20 OVER 20 UNDER Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILIT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial LEVEL PRESERVATION: ACCEPTANCE: Destination Deliveries of Performance DOC SUPPL REL CD MILITATE ADOR SIG CD MARK FOR TE CD 001 WSERVAY258102 N TO 2 DEE, BRL CD QUANTITY DAYS_AFTER AMARD 001 262 0030 FOR POINT: Destination SHIP TO: PARCEL POST_ADDRESS (W25010) XU TRANSPORTATION OFFICER DUDGP NEW COMMERCIAND TRCILITY		Nomenclature: Tire Repair Kit				
used for the LAV Family of Vehicles. End Item Identification: 2320-01-123-1602 Approved Source: Safety Tire Seal Corp. P/N: 100TPR-30 (End of narrative A001) (End of narrative A001) FRODUCTION QUANTITY NOUN: TIRE REPAIR KIT PRON: EHBARA783EH PRON AND: 01 ANG CD: 070011 Description/Specg./Work Statement QUANTITY VARIATION: 28 OVER 28 UNDER Parkseing and Marking PACKSGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PRESENVATION: Commercial LEVEL PACKING: Commercial LINDERCTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILESTER ADDR SIG CD MARK FOR TP CD 001 WSCHUSY305SUG2 WSSIU J J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOR POINT: Destination SHIP TO: PARCEL POST ADDRESS (W2501) XU TRANSPORTATION OFFICER DOSP NEW COMMERCIAND PROCLITY		Manufacturer's Approved Part Number				
End Item Identification: 2320-01-123-1602 Approved Source: Safety Tire Seal Corp. P/N: 100TPB-30 (End of narrative A001) (End of narrative A001) (End of narrative A001) **PROMICTION QUANTITY** NOUN: TIRE REPAIR KIT						
Approved Source: Safety Tire Seal Corp. P/N: 100TDB-30 (End of narrative A001) (End of narrative A001) (End of narrative A001) DOUGLE SEAR SEAR SEAR SEAR SEAR SEAR SEAR SEA						
Safety Tire Seal Corp. P/N: 100TPB-30 (End of narrative A001) (End of narrative A001) DESCRIPTION QUANTITY S22 ET \$ NOUN: TIRE REPAIR KIT PRON: ENGANGESH PRON AMD: 01 AMS CD: 070011 DESCRIPTION / Special / Mork Statement QUANTITY VARIATION: 2% OVER 2% UNDER Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILTA LEVEL PRESERVATION: Commercial LEVEL PRESERVATION: Commercial LEVEL PRESERVATION: Destination Deliveries or Performance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL. CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 WESHEV3255U262 W25G1U J 2 DEL REL. CD CUNNTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DOSP NEW CUMSERLAND FACILITY						
NOUN: TIRE REDAIR KIT PRON: BH3AA783H PRON AMD: 01 AMS CD: 070011 Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILP4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HX73255U262 W25GLU J 2 DEL REL CD OUDLITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25GU) XU TRANSPORTATION OFFICER DDSS NEW CUMERCHARD FACILITY						
NOUN: TIRE REPAIR KIT PRON: EH3AA783EH PRON AMD: 01 AMS CD: 070011 Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PACKING: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56H2V3255U262 W25GIU J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL FOST ADDRESS (W25GIU) XU TRANSPORTATION OFFICER DDSP NEW CUMERRLAND FACILITY		(End of narrative A001)				
NOUN: TIRE REPAIR KIT PRON: EH3AA7638H PRON AMD: 01 AMS CD: 070011 Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PACKING: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries of Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W564EV3255U262 W25GIU J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25GIU) XU TRANSPORTATION OFFICER DDSF NEW CUMBERLAND FACILITY						
NOUN: TIRE REPAIR KIT PRON: EH3AA783EH PRON AMD: 01 AMS CD: 070011 Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PACKING: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56H2V3255U262 W25GIU J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL FOST ADDRESS (W25GIU) XU TRANSPORTATION OFFICER DDSP NEW CUMERRLAND FACILITY						
PRON: EH3AA783EH PRON AMD: 01 AMS CD: 070011 Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25GlU J 2 DEL REL CD OUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL FOST ADDRESS (W25GlU) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY	1AA	PRODUCTION QUANTITY	522	KT	\$	\$
PRON: EH3AA783EH PRON AMD: 01 AMS CD: 070011 Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25GlU J 2 DEL REL CD OUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL FOST ADDRESS (W25GlU) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY		NOIN: TIPE PEPAIR KIT				
Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25GIU J 2 DEL REL CD OUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25GIU) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY						
QUANTITY VARIATION: 2% OVER 2% UNDER Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25GIU J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25GIU) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY		AMS CD: 070011				
PACKAGING/PACKING/SPECIFICATIONS: MILIT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination						
PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY						
MILT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination						
Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56H2V3255U262 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY						
Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY						
INSPECTION: Destination ACCEPTANCE: Destination Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY		LEVEL PACKING: Commercial				
Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY		Inspection and Acceptance				
DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25G1U J 2 DEL REL CD OUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY		INSPECTION: Destination ACCEPTANCE: Destination				
DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255U262 W25G1U J 2 DEL REL CD OUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY		Deliveries or Performance				
001 W56HZV3255U262 W25G1U J 2 DEL REL CD						
DEL REL CD OUANTITY DAYS AFTER AWARD 001 262 0030 FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY						
FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY						
SHIP TO: PARCEL POST ADDRESS (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY						
(W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY		FOB POINT: Destination				
DDSP NEW CUMBERLAND FACILITY		SHIP TO: PARCEL POST ADDRESS				
		DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134				
DOING MIDDION DOOK 113 131		DOINDING MIDDION DOOK 113 134				

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-Q-T701 MOD/AMD

Page 4 of 12

Name of Offeror or Contractor:

TEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NEW CUMBERLAND PA 17070-5001				
	DOC SUPPL				
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 002 W56HZV3255U263 W45G19 J 2				
	DEL REL CD QUANTITY DAYS AFTER AWARD				
	001 130 0030				
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS				
	(W45G19) SR W390 RED RIVER MUNITIONS CTR				
	HIGHWAY 82 WEST CL V				
	GATE 44 BLDG 184 TEXARKANA TX 75507-5000				
	IBARICANA IA 75507 5000				
	DOC SUPPL				
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 003 W56HZV3255U264 W62G2T J 2				
	DEL REL CD QUANTITY DAYS AFTER AWARD				
	001 130 0030				
	FOB POINT: Destination				
	SHIP TO: FREIGHT ADDRESS				
	(W62G2T) XU DEF DIST DEPOT SAN JOAQUIN				
	25600 S CHRISMAN ROAD				
	REC WHSE 10 PH 209 839 4307 TRACY CA 95376-5000				
	TRACT CA 25570 5000				

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-T701

MOD/AMD

Page 5 of 12

Name of Offeror or Contractor:

PACKAGING AND MARKING

2 52.211-4517 PACKAGING REQUIREMENTS (COMMERCIAL) (TACOM)

MAY/2003

(a) The preservation, packing, and marking requirements for this contract shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
 - (1) The quantity is over one (1) gross of the same national stock number,
 - (2) Use enhances handling and inventorying,
 - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - (4) The unit pack is less than 64 cubic inches,
 - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

- (e) Packing:
- (1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-T701

MOD/AMD

Page 6 of 12

Name of Offeror or Contractor:

- (g) Marking:
- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston).
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels may be created using the Computer Automated Transportation Tool Military Shipment Label/Issue Receipt Release Document (CATT MSL/IRRD). See the web site: http://www.asset-trak.com/catt/catt.htm. The software may be downloaded at: http://www.asset-trak.com/catt/msl_irrd/msl_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.
- (h) Hazardous Materials: In addition to the general instructions listed above, hazardous materials or items as defined in CFR Title 49 are also subject to all applicable Department of Transportation regulations for packaging/packing, marking, labeling, container certification, and transport as listed in Code of Federal Regulations Title 49, Parts 100-180. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
 - (k) SUPPLEMENTAL INSTRUCTIONS: -2-

[End of Clause]

3 52.211-4013 BAR CODE MARKING (TACOM)

JAN/2001

- a. Bar code markings are required on all containers and loose or unpacked items as specified in MIL-STD-129N, paragraph 4.2.3. The bar code symbology shall comply with AIM BC 1. The following shall be bar coded:
 - (1) National Stock Number (NSN)/ NATO stock number shall be bar coded on all unit packs and intermediate containers.
- (2) The exterior container shall be bar coded with the NSN/NATO stock number and the contract or purchase order number(including the call number).
 - (3) Items that are serial numbered shall have the serial number bar coded.
- (4) Exterior boxes and crates 10 cubic feet and over shall be bar coded on one end of the container as well as on the identification marked side.
- (5) Contractor or vendor-originated shipments destined for outside continental United States(OCONUS) and shipped through the Defense Transportation System(DTS)(transshipment) shall comply with the address marking instructions in DoD 4500.32-R, Volume I, which requires the address markings to be placed on a bar coded DD Form 1387. For these shipments, bar code labels may be affixed to the DD Form 1387 as an alternative to direct bar coding of the DD Form 1387. Destinations such as Hawaii, Alaska, Puerto Rico, Canada, and Mexico are considered OCONUS sites and require bar coded DD Form 1387 address labels, see MIL-STD-129, paragraph 4.3.

CONTINUATION SHEET	Reference No. of Document Being Continue	ed Page 7 of 12
CONTINUATION SHEET	PIIN/SIIN DAAE07-03-Q-T701 MOD	/AMD

Name of Offeror or Contractor:

b. Information and illustrations on bar code markings are contained in MIL-STD-129N and in MIL-HDBK-129. $(end \ of \ clause)$

DELIVERIES OR PERFORMANCE

4	52.211-16	VARIATION IN QUANTITY	APR/1984
---	-----------	-----------------------	----------

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

b)	The permissible variation shall be limited to:	
	02 _percent increase; and	
	02 _percent decrease.	

[End of Clause]

CONTINUATION SHEET		HEET	Reference No. of Document Bei	Page 8 of 12	
CC	INTINUATION S	HEEI	PHN/SHN DAAE07-03-Q-T701	MOD/AMD	
Name of O	fferor or Contractor:				•
SPECIAL CON	FRACT REQUIREMENTS				
5	252.225-7001	BUY AMERI	CAN ACT AND BALANCE OF PAYMENTS PROGRAM		APR/2003
CONTRACT CL	AUSES				
6	52.232-33	PAYMENT B	Y ELECTRONIC FUNDS TRANSFERCENTRAL CO	NTRACTOR REGISTRATION	MAY/1999
7	52.247-34	F.O.B. DE	STINATION		NOV/1991
8	52.247-54	DIVERSION	OF SHIPMENT UNDER F.O.B. DESTINATION CO	ONTRACTS	MAR/1989
9	52.209-1	OUALIFICA	TION REQUIREMENTS		FEB/1995

- (a) Definition: <u>Qualification requirement</u>, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.
- (b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to

become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S) (Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name		
Manufacturer's Name		
Source's Name		
Item Name		
Service		
Identification	Test Number	(to the extent known)

- (d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.
- (e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.
- (f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

10 52.212-4 CONTRACT TERMS AND CONDITIONS--COMMERCIAL ITEMS FEB/2002

- (a) Inspection/Acceptance. The Contractor shall only tender for acceptance those items that conform to the requirements of this contract. The Government reserves the right to inspect or test any supplies or services that have been tendered for acceptance. The Government may require repair or replacement of nonconforming supplies or reperformance of nonconforming services at no increase in contract price. The Government must exercise its post-acceptance rights --
 - (1) Within a reasonable time after the defect was discovered or should have been discovered; and

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-T701

MOD/AMD

Page 9 **of** 12

Name of Offeror or Contractor:

- (2) Before any substantial change occurs in the condition of the item, unless the change is due to the defect in the item.

 (b) Assignment. The Contractor or its assignee may assign its rights to receive payment due as a result of performance of this contract to a bank, trust company, or other financing institution, including any Federal lending agency in accordance with the Assignment of Claims Act (31 U.S.C.3727). However, when a third party makes payment (e.g., use of the Governmentwide commercial purchase card), the Contractor may not assign its rights to receive payment under this contract.
- (c) Changes. Changes in the terms and conditions of this contract may be made only by written agreement of the parties.
- (d) Disputes. This contract is subject to the Contract Disputes Act of 1978, as amended (41 U.S.C. 601-613). Failure of the parties to this contract to reach agreement on any request for equitable adjustment, claim, appeal or action arising under or relating to this contract shall be a dispute to be resolved in accordance with the clause at FAR 52.233-1, Disputes, which is incorporated herein by reference. The Contractor shall proceed diligently with performance of this contract, pending final resolution of any dispute arising under the contract.
- (e) Definitions. The clause at FAR 52.202-1, Definitions, is incorporated herein by reference.
- (f) Excusable delays. The Contractor shall be liable for default unless nonperformance is caused by an occurrence beyond the reasonable control of the Contractor and without its fault or negligence such as, acts of God or the public enemy, acts of the Government in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, unusually severe weather, and delays of common carriers. The Contractor shall notify the Contracting Officer in writing as soon as it is reasonably possible after the commencement of any excusable delay, setting forth the full particulars in connection therewith, shall remedy such occurrence with all reasonable dispatch, and shall promptly give written notice to the Contracting Officer of the cessation of such occurrence.

 (g) Invoice.
 - (1) The Contractor shall submit an original invoice and three copies (or electronic invoice, if authorized) to the address designated in the contract to receive invoices. An invoice must include --
 - (i) Name and address of the Contractor;
 - (ii) Invoice date and number;
 - (iii) Contract number, contract line item number and, if applicable, the order number;
 - (iv) Description, quantity, unit of measure, unit price and extended price of the items delivered;
 - (v) Shipping number and date of shipment, including the bill of lading number and weight of shipment if shipped on Government bill of lading;
 - (vi) Terms of any discount for prompt payment offered;
 - (vii) Name and address of official to whom payment is to be sent;
 - (viii) Name, title, and phone number of person to notify in event of defective invoice; and
 - (ix) Taxpayer Identification Number (TIN). The Contractor shall include its TIN on the invoice only if required elsewhere in this contract.
 - (x) Electronic funds transfer (EFT) banking information.
 - (A) The Contractor shall include EFT banking information on the invoice only if required elsewhere in this contract.
 - (B) If EFT banking information is not required to be on the invoice, in order for the invoice to be a proper invoice, the Contractor shall have submitted correct EFT banking information in accordance with the applicable solicitation provision, contract clause (e.g., 52.232-33, Payment by Electronic Funds Transfer-Central Contractor Registration, or 52.232-34, Payment by Electronic Funds Transfer-Other Than Central Contractor Registration), or applicable agency procedures.
 - (C) EFT banking information is not required if the Government waived the requirement to pay by EFT.
 - (2) Invoices will be handled in accordance with the Prompt Payment Act (31 U.S.C. 3903) and Office of Management and Budget (OMB) prompt payment regulations at 5 CFR part 1315.
- (h) Patent indemnity. The Contractor shall indemnify the Government and its officers, employees and agents against liability, including costs, for actual or alleged direct or contributory infringement of, or inducement to infringe, any United States or foreign patent, trademark or copyright, arising out of the performance of this contract, provided the Contractor is reasonably notified of such claims and proceedings.
- (i) Payment. Payment shall be made for items accepted by the Government that have been delivered to the delivery destinations set forth in this contract. The Government will make payment in accordance with the Prompt Payment Act (31 U.S.C. 3903) and OMB prompt payment regulations at 5 CFR part 1315. In connection with any discount offered for early payment, time shall be computed from the date of the invoice. For the purpose of computing the discount earned, payment shall be considered to have been made on the date which appears on the payment check or the specified payment date if an electronic funds transfer payment is made.
- (j) Risk of loss. Unless the contract specifically provides otherwise, risk of loss or damage to the supplies provided under this contract shall remain with the Contractor until, and shall pass to the Government upon:
 - (1) Delivery of the supplies to a carrier, if transportation is f.o.b. origin; or
 - (2) Delivery of the supplies to the Government at the destination specified in the contract, if transportation is f.o.b. destination.
- (k) Taxes. The contract price includes all applicable Federal, State, and local taxes and duties.
- (1) Termination for the Government's convenience. The Government reserves the right to terminate this contract, or any part hereof, for its sole convenience. In the event of such termination, the Contractor shall immediately stop all work hereunder and shall immediately cause any and all of its suppliers and subcontractors to cease work. Subject to the terms of this contract, the Contractor shall be paid a percentage of the contract price reflecting the percentage of the work performed prior to the notice of termination, plus reasonable charges the Contractor can demonstrate to the satisfaction of the Government using its standard record keeping system, have resulted from the termination. The Contractor shall not be required to comply with the cost accounting standards or contract cost principles for this purpose. This paragraph does not give the Government any right to audit the Contractor's records. The Contractor shall not be paid

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-T701

MOD/AMD

Page 10 of 12

Name of Offeror or Contractor:

for any work performed or costs incurred which reasonably could have been avoided.

- (m) Termination for cause. The Government may terminate this contract, or any part hereof, for cause in the event of any default by the Contractor, or if the Contractor fails to comply with any contract terms and conditions, or fails to provide the Government, upon request, with adequate assurances of future performance. In the event of termination for cause, the Government shall not be liable to the Contractor for any amount for supplies or services not accepted, and the Contractor shall be liable to the Government for any and all rights and remedies provided by law. If it is determined that the Government improperly terminated this contract for default, such termination shall be deemed a termination for convenience.
- (n) Title. Unless specified elsewhere in this contract, title to items furnished under this contract shall pass to the Government upon acceptance, regardless of when or where the Government takes physical possession.
- (o) Warranty. The Contractor warrants and implies that the items delivered hereunder are merchantable and fit for use for the particular purpose described in this contract.
- (p) Limitation of liability. Except as otherwise provided by an express warranty, the Contractor will not be liable to the Government for consequential damages resulting from any defect or deficiencies in accepted items.
- (q) Other compliances. The Contractor shall comply with all applicable Federal, State and local laws, executive orders, rules and regulations applicable to its performance under this contract.
- (r) Compliance with laws unique to Government contracts. The Contractor agrees to comply with 31 U.S.C. 1352 relating to limitations on the use of appropriated funds to influence certain Federal contracts; 18 U.S.C. 431 relating to officials not to benefit; 40 U.S.C. 327, et seq., Contract Work Hours and Safety Standards Act; 41 U.S.C. 51-58, Anti-Kickback Act of 1986; 41 U.S.C. 265 and 10 U.S.C. 2409 relating to whistleblower protections; 49 U.S.C. 40118, Fly American; and 41 U.S.C. 423 relating to procurement integrity.
- (s) Order of precedence. Any inconsistencies in this solicitation or contract shall be resolved by giving precedence in the following order:
 - (1) The schedule of supplies/services.
 - (2) The Assignments, Disputes, Payments, Invoice, Other Compliances, and Compliance with Laws Unique to Government Contracts paragraphs of this clause.
 - (3) The clause at 52.212-5.
 - (4) Addenda to this solicitation or contract, including any license agreements for computer software.
 - (5) Solicitation provisions if this is a solicitation.
 - (6) Other paragraphs of this clause.
 - (7) The Standard Form 1449.
 - (8) Other documents, exhibits, and attachments.
 - (9) The specification.

(End of Clause)

11 52.247-4016 HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS JUL/2002 (TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-T701

MOD/AMD

Page 11 of 12

Name of Offeror or Contractor:

REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF OFFERORS

12 52.212-4860 ELECTRONIC QUOTATIONS REQUIRED - COMMERCIAL ITEMS DEC/2002 (TACOM)

- 1. You must submit your quotation via paperless electronic media (See paragraph 2 below.). Unless paper copies are specifically requested elsewhere in this solicitation, quotations submitted in paper form are unacceptable. You must submit your electronic quotation, and any supplemental information (such as spreadsheets, backup data, technical information), using any of the following electronic formats:
- (i) Files readable using these Microsoft* 97 Office Products (TACOM can currently read Ofice 97* and lower.): Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a format that includes all formulae, macro and format information. Print image is not acceptable. Executable files, other than self-extracting compressed files, are unacceptable.
 - (ii) Files in Adobe PDF (Portable Document Format). Scanners should be set to 200 dots per inch.
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active inks to live Internet sites or pages. All linked information must be contained within your electronic quotation and be accessible offline.
- (iv) Other electronic formats. Before preparing your quotation in any other electronic format, please e-mail the buyer identified in Block 5(b) of the SF 18 cover sheet, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the due date for quotations. Failure to e-mail the buyer within this timeframe to seek an alternate format's acceptability may result in non-consideration of your quotation. All alternate methods must be at no cost to the Government.

Note: The above formats may be submitted in compressed form using self-extracting files. Executable files other than self-extracting compressed files are unacceptable.

- 2. Acceptable media: 100 or 250 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, E-mail, or datafax. You must identify the software application, and version, that you used to create each file submitted. The word "datafax" used in this clause means "facsimile" as defined at FAR 52.215-5.
- (a) 100 or 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, or 650 MEGABYTE CD ROM via U.S. Mail or other carrier. Quoter shall label any and all submitted disks with the solicitation number and due date for quotations, and the quoter's name and address and contact phone number. In the event of multiple submitted quotations, place each quotation/submission on its own disk(s) (one quotation can comprise multiple disks). You must also submit only one quotation per envelope. Submit only one (1) of each disk (no additional copies required).
- (b) E-mail. If you choose to use e-mail, ADDRESS YOUR QUOTATION TO THE BUYER identified in Block 5(b) of the SF18 cover sheet. THE SUBJECT LINE OF THE E-MAIL MUST READ "QUOTATION --[Request for Quotation number], [name of Company/offeror], DUE [due date]". Maximum size of each e-mail message shall be three and one-half (3.5) megabytes. Any compressed files must be self-extracting, and you must provide appropriate instructions. You may use multiple e-mail messages for each quotation, however, you must annotate the subject lines as described above for each message, and number them in this manner: "Message 1 of 3, 2 of 3, 3 of 3".
- (c) DATAFAX. Faxed offers MUST BE SENT TO TACOM'S NETWORK FAX SERVER ON 1-586-574-5527. Paper faxes are not acceptable. Transmit only one quotation for each datafax transaction. Clearly identify the quotation as such on your fax cover page or via your PC, include your company's name, and state the proper internal TACOM address: the buyer's e-mail address found on the front page of the solicitation. Quoters may send a fax using a personal computer or standalone fax machine, but it must be sent to the above number. If you use a standalone fax machine, you won't receive a confirmation of receipt. See paragraph 5 below for the minimum requirements of your offer. Maximum size of datafax quotations is three and one-half megabytes (3.5MB), the same limitation as that for e-mail quotations. For your datafax, use the same subject line as that for e:mails as indicated above: "OFFER--[solicitation number], [name of your Company/offeror], CLOSES [closing date]".

Unless specifically instructed otherwise in this Request For Quotation, select only one medium by which to transmit each quotation. For instance, do not submit a quotation via 100 or 250 megabyte Zip*-disk AND e-mail.

- 3. Commercial product literature in support of technical proposals shall be provided in electronic format in accordance with the format guidelines above. If this literature is unavailable in electronic format, the offeror shall provide a brief description of it in his offer, and shall retain this hard copy literature for possible later review by the Contracting Officer.
- 4. Security Note: If you choose to password-protect access to your quotation, you must provide the password to TACOM at least ten days prior to submitting the protected file. Contact the buyer to arrange a means of providing the password. Passwords used only for the purpose of write protecting files need not be provided.
- 5. Electronic quotations should include, as a minimum:
 - (a) The SF18 cover sheet filled out, or equivalent information.

CONTINUATION SHEET	Reference No. of Document Bei	Page 12 of 12	
CONTINUATION SHEET	PHN/SHN DAAE07-03-Q-T701	MOD/AMD	

Name of Offeror or Contractor:

- (b) All applicable fill-in provisions, filled in. You may find Word versions of Section K provisions requiring your fill-in on our TACOM Business Opportunities webpage (http://contracting.tacom.army.mil/mastersol/sectionk.htm). You can fill them in and attach them to your quote. See the solicitation for which provisions are required.
 - (c) A statement of agreement to all the terms, conditions, and provisions of this Request for Quotations.
 - (d) Any other information required by the Request for Quotations.
- 6. Quoters shall make every effort to ensure that their quotation is virus-free.

*Registered trademark

[end of provision]